

MSDS Document

Product LITHIUM SHOCK

1. Chemical Product and Company Identification

Trade Name of this Product LITHIUM SHOCK

MSDS ID MSDS1427

Manufacturer

Haviland Consumer Products, Inc.
421 Ann Street N.W.
Grand Rapids, MI 49504

Phone Number

(616) 361-6691

Emergency Phone

CHEMTREC (800) 424-9300

CHEMTREC International (703) 527-3887

Revision Date 00/00/00

Health:	3
Fire:	0
Reactivity:	1
Specific	

2. Composition and Information on Ingredients

Ingredient	CAS Number	Weight %	ACGIH TLV	PEL	STEL
Lithium hypochlorite	13840-33-0	29 %	Not Established	Not Established	
Lithium carbonate	554-13-2	2 %	Not Established	Not Established	
Sodium sulfate	7757-82-6		Not Established	Not Established	
Water	7732-18-5		Not Established	Not Established	
Sodium chloride (NaCl)	7647-14-5		Not Established	Not Established	
Potassium Bisulfate	7646-93-7		Not Established	Not Established	
Lithium chloride (LiCl)	7447-41-8		Not Established	Not Established	
Lithium chlorate	36355-96-1		Not Established	Not Established	
Lithium hydroxide (Li(OH))	1310-65-2		Not Established	Not Established	

3. Hazard Identification

Emergency Overview

Corrosive to eyes and skin. Harmful if swallowed. Inhalation may cause damage to the

upper respiratory tract.

Health Effects

This product is severely irritating to the eyes and may cause burns and irreversible damage. Contact with the skin or mucous membranes may cause irritation or burns. This product will cause irritation to the throat, esophagus, and gastrointestinal tract if it is swallowed. Inhalation of dusts of this product may cause irritation or burns to the nasal passages and respiratory tract.

Carcinogenicity

None of the components present in this material are listed by IARC or NTP as a carcinogen.

Reproductive Effects

None known

Routes of Entry

Inhalation, Ingestion, Skin or Eye Contact

4. First Aid Information

Eye Contact

Flush immediately with plenty of water for at least 15 minutes, get medical attention.

Skin Contact

Flush with plenty of water for at least 15 minutes while removing contaminated clothing. Wash material off with soap and water. Get medical attention.

Ingestion

Call a physician immediately. Do not induce vomiting. Dilute by drinking water or milk. Never give anything by mouth to an unconscious person.

Inhalation

Fresh air should alleviate any respiratory discomfort. If breathing difficulties develop or persist, get medical attention.

5. Fire Fighting Measures

Flash Point N/A

Extinguishing Media

Use water only. Do not use dry chemicals, carbon dioxide, or foam.

Special Fire Fighting Procedures

Fire fighters should wear full protective clothing including self-contained breathing apparatus.

Unusual Fire Hazard

Oxidizer. Contact with easily oxidizable or combustible materials can cause fire or explosion upon ignition from any source.

6. Accidental Release Measures

Spill and Leak Procedures

Use proper personal protective equipment. Keep combustibles (wood, paper, oil, etc.) away from spilled material. With clean shovel, place into clean dry container, and cover loosely.

7. Handling and Storage

Handling Procedures

Do not inhale. Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Wash clothing after use.

Storage Procedures

Keep container closed. Store in a dry place. Protect from atmospheric moisture.

8. Exposure Controls and Personal Protection

Engineering Controls

Ventilation should be provided to control worker exposures and prevent health risk.

Eye Protection

Safety glasses or goggles required.

Protective Gloves

Rubber or other impervious materials.

Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of dust, appropriate NIOSH/MSHA respiratory protection must be provided.

Other Protective Equipment

Flowing water source should be available. Prevent contact with skin & clothing by using protective garments.

9. Physical and Chemical Properties

Physical State	Solid
Color/Appearance	White granular
Odor	Burning, chlorine-like odor
pH	11 (1% solution)
Boiling/Cond. Point	Not Applicable
Melting/Freezing Point	Decomposes @ 135°C (275°F)
Solubility	43% by wt. @ 25°C (77°F)
Vapor Density	Not Applicable
Vapor Pressure	Not Applicable

10. Stability and Reactivity

Chemical Stability

Stable under normal conditions

Conditions to Avoid

Contact with combustible materials (wood, paper, oil). Contamination with moisture.

Incompatible Materials

Acids Strong oxidizing agents Combustible materials.

Hazardous Decomposition Products

Oxygen, lithium hydroxide, lithium chlorates.

Hazardous Polymerization

Will not occur.

11. Toxicological Information

Oral LD50 Rat: 555 mg/kg

12. Ecological Information

96 hour LC50 rainbow trout: 0.69 mg/L

13. Disposal Considerations**Waste Disposal**

Dispose of waste in accordance with all federal, state, and local regulations.

14. Transportation Information**DOT Shipping Name**

Oxidizing solid, n.o.s. (lithium hypochlorite, mixture)

Hazard Class

5.1, Oxidizer

UN Number

UN1479

Packing Group

PG III

NOTE: Oxidizers in Packing Group III in inner packagings not over 4.0 L (1 gallon) for liquids or 5.0 kg (11 pounds) for solids, packed in strong outer packagings, may be renamed "Consumer Commodity" and reclassified as ORM-D material.

15. Regulatory Information**SARA 313**

Hazardous Component(s) subject to reporting under 40 CFR 372(SARA Title III, Sec. 313).

TSCA

Hazardous Component(s) subject to reporting on the TSCA List.

WHMIS

Hazardous Component(s) subject to WHMIS Ingredient Disclosure.

16. Other Information

EPA Reg. No. 57787-14

Disclaimer

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.

This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.